

AD 2 AERODROMES

RORA AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RORA - AGUNI

RORA AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|---|--|--|
| 1 | ARP coordinates and site at AD | 263534N 1271425E 004°/400m from RWY 01 THR |
| 2 | Direction and distance from (city) | |
| 3 | Elevation/ Reference temperature | 38ft / 32°C(2004-2008) |
| 4 | Geoid undulation at AD ELEV PSN | 108ft |
| 5 | MAG VAR/ Annual change | 5°W (2009) / 3.2°W |
| 6 | AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | Okinawa Pref. Public AP. 4550 Aza Hama Aguni-son Shimajiri-gun Okinawa Tel 098-988-2313 Fax 098-988-2481 |
| 7 | Types of traffic permitted(IFR/ VFR) | VFR |
| 8 | Remarks | Nil |

RORA AD 2.3 OPERATIONAL HOURS

| | | |
|----|---------------------------|--|
| 1 | AD Administration | 2300 - 0900 |
| 2 | Customs and immigration | On request Customs: 098-862-8529 Immigration: 098-832-4185 |
| 3 | Health and sanitation | Nil |
| 4 | AIS Briefing Office | Nil |
| 5 | ATS Reporting Office(ARO) | Nil |
| 6 | MET Briefing Office | Nil |
| 7 | ATS | Nil |
| 8 | Fuelling | Nil |
| 9 | Handling | Ask AD administration |
| 10 | Security | Ask AD administration |
| 11 | De-icing | Nil |
| 12 | Remarks | Nil |

RORA AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|-----|
| 1 | Cargo-handling facilities | Nil |
| 2 | Fuel/ oil types | Nil |
| 3 | Fuelling facilities/ capacity | Nil |
| 4 | De-icing facilities | Nil |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | Nil |

RORA AD 2.5 PASSENGER FACILITIES

| | | |
|---|----------------------|--|
| 1 | Hotels | Hotels in Aguni village |
| 2 | Restaurants | In Aguni village |
| 3 | Transportation | Nil |
| 4 | Medical facilities | Clinic 2km from airport |
| 5 | Bank and Post Office | Bank in Aguni village / Post Office in Aguni village |
| 6 | Tourist Office | Nil |
| 7 | Remarks | Nil |

RORA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|----------------------------------|
| 1 | AD category for fire fighting | CAT 3 |
| 2 | Rescue equipment | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Incapable |
| 4 | Remarks | Nil |

RORA AD 2.7 SEASONAL AVAILABILITY-CLEARING

| | | |
|---|-----------------------------|----------------|
| 1 | Types of clearing equipment | Not Applicable |
| 2 | Clearance priorities | Not Applicable |
| 3 | Remarks | Nil |

RORA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

| | | |
|---|-------------------------------------|---|
| 1 | Apron surface and strength | Surface : Asphalt-concrete Strength : AUW 5700kg/0.28Mpa |
| 2 | Taxiway width, surface and strength | Width : 9m Surface : Asphalt-concrete Strength : AUW 5700kg/0.28Mpa |
| 3 | ACL and elevation | Not available |
| 4 | VOR checkpoints | Not available |
| 5 | INS checkpoints | (Spot NR) 1: 263534.79N 1271422.87E 2: 263533.89N 1271422.78E |
| 6 | Remarks | Nil |

RORA AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|--|--|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil |
| 2 | RWY and TWY markings and LGT | RWY:01/19 (Marking) RWY designation, RWY CL, RWY side stripe, RWY middle point, RWY THR, Aiming point TWY: (Marking)TWY CL, TWY side stripe |
| 3 | Stop bars | Nil |
| 4 | Remarks | (Marking) Overrun area |

RORA AD 2.10 AERODROME OBSTACLES

- In Area2 Nil
- In Area3 To be developed

RORA AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|----|--|-----|
| 1 | Associated MET Office | Nil |
| 2 | Hours of service MET Office outside hours | Nil |
| 3 | Office responsible for TAF preparation Periods of validity | Nil |
| 4 | Trend forecast Interval of issuance | Nil |
| 5 | Briefing/ consultation provided | Nil |
| 6 | Flight documentation Language(s) used | Nil |
| 7 | Charts and other information available for briefing or consultation | Nil |
| 8 | Supplementary equipment available for providing information | Nil |
| 9 | ATS units provided with information | Nil |
| 10 | Additional information(limitation of service, etc.) | Nil |

RORA AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | TRUE BRG | Dimensions of RWY(M) | Strength(PCN) and surface of RWY | THR coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APP RWY |
|------------------------|-------------|-------------------------|--|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 01 | 004.88° | 800×25 | AUW 5700kg /0.28MPa Asphalt-concret | 263521.01N 1271424.02E 108ft | THR ELEV: 44ft |
| 19 | 184.88° | 800×25 | AUW 5700kg /0.28MPa Asphalt-concrete | 263546.91N 1271426.48E 108ft | THR ELEV: 26ft |
| Slope of RWY | | Strip Dimensions(M) | RESA (Overrun) Dimensions(M) | | Remarks |
| 7 | | 10 | 11 | | 14 |
| | | 920×60 | 50 × 80 | | |
| See AD2.24 AD chart | | 920×60 | 50 × 80 | | Nil |

RORA AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|----------|----------|----------|---------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 01 | 800 | 800 | 800 | 800 | Nil |
| 19 | 800 | 800 | 800 | 800 | Nil |

RORA AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|--|-------------------------|-----------------|-------------------------------------|----------|------------------------------|------------------------------|-----------------|----------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 01 | Nil | Nil | PAPI 3.0°/Left 183.7m 28ft | Nil | Nil | Nil | Nil | Nil |
| 19 | Nil | Nil | PAPI 3.0°/Left 142.7m 28ft | Nil | Nil | Nil | Nil | Nil |
| Remarks | | | | | | | | |
| 10 | | | | | | | | |
| RWY THR ID LGT for RWY 01/19 THR (Color:White) | | | | | | | | |

RORA AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|---|--|-------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil |
| 2 | LDI location and LGT Anemometer location and LGT | Nil |
| 3 | TWY edge and center line lighting | Nil |
| 4 | Secondary power supply / switch-over time | ALL LGT / Within 15 sec |
| 5 | Remarks | Nil |

RORA AD 2.16 HELICOPTER LANDING AREA

| |
|-----|
| Nil |
|-----|

RORA AD 2.17 ATS AIRSPACE

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------|-------------------------|-----------------------------|---------|
| 1 | 2 | 3 | 4 | 6 |
| Nil | | | | |

RORA AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|---------------------|-----------|-----------|--------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| Nil | | | | |

RORA AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Nil | | | | | | |

RORA AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

Nil

2. Taxiing to and from stands

Nil

3. Parking area for small aircraft(General aviation)

Nil

4. Parking area for helicopters

Nil

5. Apron - taxiing during winter conditions

Nil

6. Taxiing - limitations

Nil

7. School and training flights - technical test flights - use of runways

Nil

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

RORA AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

RORA AD 2.22 FLIGHT PROCEDURES

Nil

RORA AD 2.23 ADDITIONAL INFORMATION

Nil


RORA AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome/Heliport Chart

Other Chart (LDG CHART)

RORA / AGUNI

AD CHART



INTENTIONALLY LEFT BLANK

RORA / AGUNI

LDG CHART

